

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

| | | |
|-----------------------------|---|------------------------|
| In re Application of: |) | |
| |) | |
| Bradley ALDRICH et al. |) | Group Art Unit: 2193 |
| |) | |
| Application No.: 10/826,459 |) | Examiner: Kakali CHAKI |
| |) | |
| Filed: April 16, 2004 |) | |
| |) | |
| For: DUAL-MULTIPLY- |) | Confirmation No.: 1488 |
| ACCUMULATOR OPERATION |) | |
| OPTIMIZED FOR EVEN AND ODD |) | |
| MULTISAMPLE CALCULATIONS |) | |

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

CHANGE OF CUSTOMER NUMBER AND CORRESPONDENCE ADDRESS


Effective immediately, please make the following changes concerning all future correspondence with respect to the above-identified patent application:

| | |
|---------------------------------|----------------|
| Customer No.: | 22,852 |
| New Attorney Docket No.: | MP1505 |
| Telephone: | (202) 408-4000 |
| Facsimile: | (202) 408-4400 |

Respectfully submitted,

FINNEGAN, HENDERSON, FARABOW,
GARRETT & DUNNER, L.L.P.

Dated: December 5, 2006

By: 
Linda J. Thayer
Reg. No. 45,681